


BORING BARS 內徑車刀  
 TOOLHOLDERS 外徑車刀  
 THREADING & GROOVING 牙刀 & 開槽刀  
 MILLING 銑刀  
 BORING TOOLS COMPONENTS 孔加工  
 SPARE PARTS 配件

Screw Shape	Item code	Dimensions,mm						備註	Weight (100pcs/kg)	
		A	B	C	D	E	K°			
	MS1603A	2.65	M1.6*0.35	3.0	0.55	T6	70	星型	0.01	
	MS1604A	2.65		4.0	0.55	T6	70		0.01	
	MS1603B	2.35		3.0	0.50	T6	50		0.01	
	MS1604B	2.35		4.0	0.50	T6	50		0.01	
	MS1604C	2.50		4.0	0.65	T6	70		0.01	
	MS1804A	2.40	M1.8*0.35	4.1	0.7	T6	60		0.01	
	<b>NEW</b> MS1805A	2.40		5.0	0.7	T6	60		0.01	
	<b>NEW</b> MS1804B	2.35		4.0	0.5	T6	50		0.01	
	MS2003A	2.70	M2.0*0.4	3.3	0.5	T6	60		0.01	
	MS2004A	2.70		4.0	0.5	T6	60		0.01	
	<b>NEW</b> MS2004C	2.70		4.0	1.0	T6	60		0.01	
	MS2005A	2.70		5.0	0.5	T6	60		0.01	
	MS2005B	3.05	M2.2*0.45	5.0	0.5	T6	60		0.01	
	MS2205A	3.10		5.0	0.9	T7	60		0.02	
	MS2206A	3.10		6.0	0.9	T7	60		0.02	
	MS2206F	3.10		5.5	0.4	T7	60		0.01	
	MS2506A	3.50	M2.5*0.45	6.0	0.9	T9	45		0.02	
	MS2508A	3.50		8.0	0.9	T9	45		0.03	
	MS2505B	3.50		5.0	0.9	T9	60		0.02	
	MS2506B	3.50		6.0	0.9	T9	60		0.02	
	MS2508B	3.50		8.0	0.9	T9	60		0.03	
	MS2506C	3.40		5.5	0.5	T7	50		0.02	
	MS2506E	3.50	M3.0*0.5	6.0	0.7	T8	60		0.02	
	MS2507G	4.50		7.0	0.3	T8	60		0.03	
	MS3006A	4.00		6.0	1.2	T9	60		0.03	
	MS3008A	4.00		7.3	1.2	T9	60		0.04	
	MS3010A	4.00		10.0	1.2	T9	60		0.04	
	MS3006B	3.80		6.0	0.7	T9	40		0.03	
	MS3008B	3.80		8.0	0.7	T9	40		0.04	
	MS3008C	4.40		8.0	1.2	T10	60		0.04	
	MS3212A	5.50		1/8UNC40	12.15	0.8	T10		60	0.08
	MS3506A	5.30		M3.5*0.6	6.0	0.8	T15		60	0.04
	MS3507A	5.30	7.0		0.8	T15	60		0.05	
	MS3509A	5.30	9.0		0.8	T15	60		0.06	
	MS3512A	5.30	12.0		0.8	T15	60		0.08	
	MS3509B	5.30	9.5		1.4	T15	60		0.07	
	MS3512B	5.30	12.0		1.4	T15	60		0.08	
	MS3512D	6.00	12.0		1.2	T15	60		0.10	
	MS3510E	4.80	9.5		1.0	T10	60		0.06	
	MS3508F	4.80	8.0		0.6	T10	60		0.05	
MS4008A	5.40	M4.0*0.7	8.2		1.1	T15	60	0.07		
MS4009A	5.40		9.0		1.1	T15	60	0.08		
MS4011A	5.40		11.0		1.1	T15	60	0.09		
MS4009B	4.95		9.0	0.9	T15	40	0.09			
MS4008C	5.60		7.5	0.5	T10	90	0.06			
MS4013F	5.20		12.8	1.2	T15	42.5	0.10			
MS4011G	5.70		11.0	1.2	T15	50	0.09			



Screw Shape	Item code	Dimensions,mm						備註	Weight (100pcs/kg)
		A	B	C	D	E	K°		
	MS4511A	6.8	M4.5*0.75	11.0	1.1	T20	60	星型	0.12
	MS4516A	6.8		16.0	1.1	T20	60		0.18
	MS4509TRV	5.8		9.0	0.5	T10	60		0.09
	MS5011A	7.0	M5.0*0.8	11.0	1.1	T20	60		0.15
	MS5014A	7.0		14.0	1.1	T20	60		0.18
	MS5017D	7.0		17.0	0.8	T20	60		0.19
	MS5022E	8.1		22.0	1.0	T25	60		0.29
	MS6010G	7.85	M6.0*1.0	10.0	0.2	T15	90		0.17
	MS4008H	5.8	M4.0*0.7	8.0	1.2	P2.5	90	六角	0.07
	MS4012E	8.0		12.0	0.3	P2.5	90		0.12
	MS6013F	7.85	M6.0*1.0	13.0	2	P4.0	90		0.24
	MS520TX	--	M5.0*0.8	20.0	6	T10	--	雙頭星型	0.18
	MS620	--	M6.0*1.0	20.0	5.5	P3.0	--	雙頭六角	0.24
	MS625	--		25.0	6	P3.0	--		0.32
	MS630	--		30.0	6	P3.0	--		0.40
	HTM309	5.4	M3.0*0.5	8.9	--	P2.5	--	六角	0.07
	HTM412	7.0	M4.0*0.7	12.0	--	P3.0	--		0.15
	HTM416	--		16.0	--		--		0.18
	HTM420	--		20.0	--		--		0.21
	HTM512	8.0	M5.0*0.8	12.0	--	P4.0	--		0.28
	HTM516	--		16.0	--		--		0.31
	HTM620	10.0	M6.0*1.0	20.0	--	P5.0	--		0.54
	HTM625	--		25.0	--		--		0.62
	HTM630	--		30.0	--		--		0.70
	HTMT520	8.5	M5.0*0.8	20.0	--	T25	--	星型	0.36
	HTMT525			25.0	--		--		0.41
	HM408	--	M4.0*0.7	7.7	--	P2.0	--	六角	0.10
	HM410	--		9.7	--		--		0.10
	HM412	--		11.7	--		--		0.10
	HM1216	--	M12*1.75	16.0	--	P6.0	--		0.86

內徑車刀  
BORING BARS

外徑車刀  
TOOL HOLDERS









牙刀 & 開槽刀  
THREADING & GROOVING

銑刀  
MILLING

孔加工  
BORING TOOLS COMPONENTS

配件  
SPARE PARTS

內徑車刀  
BORING BARS  
外徑車刀  
TOOLHOLDERS  
牙刀 & 開槽刀  
THREADING & GROOVING  
銑刀  
MILLING  
孔加工  
BORING TOOLS COMPONENTS  
配件  
SPARE PARTS

Screw Shape	Item code	Dimensions,mm						備註	Weight (100pcs/kg)
		A	B	C	D	E	K°		
	<b>HTR414</b>	7.5	M4.0*0.7	14.2	2.2	P2.5	--		0.16
	<b>HTR623</b>	10.2	M6.0*1.0	23.4	3.4	P4.0	--		0.48
	<b>RTM312</b>	5.5	M3.0*0.5	12.5	4.1	2.2	--	卡式刀座 調整螺絲	0.10
	<b>RTM412</b>	5.5	M4.0*0.7	12.5	4.1	2.2	--		0.10
	<b>RTM515</b>	8.0	M5.0*0.8	15.0	5.0	3	--		0.24
	<b>RTM825</b>	11.5	M8.0*1.25	25.0	5.0	2.4	--		1.08
	<b>MCS3S-09</b>	--	M6.0*1.0	9.0	--	P3.0	--	中心梢 固定螺絲	0.9
	<b>MCS3S-11</b>	--		11.0	--	P3.0	--		0.12
	<b>MCS3-P25</b>	10.0	M5.0*0.8	24.0	3.6	P2.5	--	壓板 固定螺絲	0.42
	<b>MCS3-P40</b>	10.0		28.0	6.0	P4.0	--		0.56
	<b>MCD-324-S</b>	10.0	M6.0*1.0	19.24	2.38	P4.0	--		0.42
	<b>MCD-331-S</b>	9.0	M5.0*0.8	20.3	2.1	T20	--		0.32
	<b>LCS3</b>	5.90	M6.0*1.0	16.8	6.3	P2.5	--	壓板 固定螺絲	0.24
	<b>LCS4</b>	6.95	M8.0*1.0	21.0	6.24	P3.0	--		0.24
	<b>WCS623</b>	10.0	M6.0*1.0	24.2	--	P4.0	--	壓板 固定螺絲	0.52
	<b>MGR3008</b>	4.2	M3*0.5	7.0	--	T8	--	WGR 固定螺絲	0.06
	<b>MGR4010</b>	6.0	M4*0.5	8.6	--	T15	--		0.08
	<b>MGR5012</b>	6.8	M5*0.5	9.2	--	T20	--		0.14
	<b>MGR5016</b>	7.5		12.8	--	T20	--		0.2
	<b>MGR5020</b>	8.0	16.3	--	T20	--	0.26		
	<b>MGR6025</b>	9.6	M6*0.75	20.4	--	T30	--		0.46
	<b>MGR8030</b>	12.0	M8*0.75	25.0	--	T30	--		0.92
	<b>DVF6240</b>	3.10	M2.5*0.35	6.3	--	T7	--	PPH 固定螺絲	0.04
	<b>DVF6241</b>	3.70	M3.0*0.35	7.8	--	T8	--		0.06
	<b>DVF6242</b>	4.65	M3.5*0.6	9.5	--	T10	--		0.08
	<b>DVF6244</b>	5.85	M4.0*0.7	13.3	--	T15	--		0.14
	<b>DVF6246</b>	6.85	M5.0*0.8	16.2	--	T20	--		0.24
	<b>DVF6247</b>	8.30	M6.0*1.0	20.0	--	T30	--		0.40



Pin Shape	Item code	Dimensions,mm						備註	Weight (100pcs/kg)
		A	B	C	D	E	F		
	<b>MLP33L-A</b>	3.7	M5xP0.8	11.0	5.6	5.0	P2.0	中心梢	0.10
	<b>MLP33L-B</b>								
	<b>MLP44-A</b>	5.0	M6xP1.0	13.2	7.32	5.4	P2.5		0.20
	<b>MLP44-B</b>								
	<b>MLP34L-A</b>	3.7	M5xP0.8	13.7	6.25	5.1	P2.0	中心梢	0.16
	<b>MLP34L-B</b>								
	<b>MLP46-A</b>	5.0	M6xP1.0	17.8	7.78	5.45	P2.5		0.32
	<b>MLP46-B</b>								
	<b>MLP46L-A</b>			18.63	7.78	6.85	P2.5		0.36
	<b>MLP46L-B</b>								
	<b>MCP3</b>	3.7	5	15	6	4	10.6	中心梢	0.22
	<b>MCP4</b>	5.05	6	18.1	7.9	5	13.6		0.38
	<b>MDS05035T</b>	6.3	M5	8.5	M3.5	--	P3.5	墊片螺絲	0.08
	<b>MDS05035S</b>			7.0					
	<b>MDS050H65T</b>								--
	<b>SCP315</b>	3.7	M5	15	--	--	P2.5	中心梢	0.20
	<b>SCP318</b>			18.5					0.26
	<b>SCP418</b>			5.05					M6
	<b>LCL33</b>	10.00	12.3	3.7	3.7	--	--	中心梢	0.16
	<b>LCL4</b>	14.20	14.6	5	4.6				0.36

內徑車刀  
BORING BARS

外徑車刀  
TOOL HOLDERS







牙刀 & 開槽刀  
THREADING & GROOVING

銑刀  
MILLING

孔加工  
BORING TOOLS COMPONENTS

配件  
SPARE PARTS

BORING BARS 內徑車刀  
 TOOL HOLDERS 外徑車刀  
 THREADING & GROOVING 牙刀 & 開槽刀  
 MILLING 銑刀  
 BORING TOOLS COMPONENTS 孔加工  
 SPARE PARTS 配件

Wrench Shape	Item code	Dimensions,mm					備註	Weight (100pcs/kg)
		A	B	C	D	E		
	ETF06	3	45	21	20	T6	國旗星型板手	0.06
	ETF07					T7		
	ETF08					T8		
	ETF09					T9		
	ETF10					T10		
	ETF15	4	50	30	22	T15		
ETF20					T20			
	<b>NEW</b> ETL10	3	65	20	--	T10	L型雙頭星型板手	0.42
	ETL15	4	72	26	--	T15		0.84
	ETL20	4	78	29	--	T20		0.94
	ETL25	5	85	33	--	T25		1.60
	ETL30	6	96	38	--	T30		2.64
	ETD06	4	60	85	--	T6	起子型星型板手	0.30
	ETD07				--	T7		0.30
	ETD08				--	T8		0.30
	ETD09	5	70	105	--	T9		0.32
	ETD10				--	T10		0.58
	ETD15				--	T15		0.60
	ETD20				--	T20		0.60
	PL15	--	53	13.5	--	P1.5	六角型板手	0.10
	PL20	--	60	15	--	P2.0		0.32
	PL25	--	63	18	--	P2.5		0.32
	PL30	--	68	23	--	P3.0		0.52
	PL35	--	72	26	--	P3.5		0.76
	PL40	--	76	30	--	P4.0		1.04
	PL50	--	86	33	--	P5.0		1.82
	PL60	--	96	38	--	P6.0		3.00
	ESG-1	--	80	27	--	5	切槽刀板手	1.44
	PC0304	62	4	5.5	--	--	金屬梢(簧片)沖頭	0.50



Shape	Item code	Dimensions,mm					備註	Weight (100pcs/kg)
		A	B	C	D	E		
	<b>LSP3</b>	5.50	3	4.1	--	--	簧片	0.02
	<b>LSP4</b>	7.30	4	6	--	--		0.04
	<b>MES3</b>	--	--	--	--	--	彈簧	0.04
	<b>ECM5</b>	--	0.56	--	7.38	--	C型環	0.02
	<b>ECM6</b>	--	0.6	--	7.9	--		0.02
	<b>ECM4-CPS4</b>	--	0.4	--	5.6	--		0.02
	<b>ECM5-CPS5</b>	--	0.4	--	6.19	--		0.02
	<b>ECM6-CPS6</b>	--	0.6	--	6.99	--		0.02
	<b>HS-M5</b>	5.47	1.0	--	10	--	華司	0.06

Clamp Shape	Item code	Dimensions,mm						備註	Weight (100pcs/kg)
		A	B	C	D	E	L		
	<b>MC515</b>	14.7	11.2	7.8	4	M5L	10.8		0.42
	<b>MC620</b>	18.6	12.2	9.4	4.6	M6L	13.9		0.64
	<b>MC622</b>	21.5	13.2	9.4	4.65	M6L	16.8		0.74
	<b>GR-5R</b>	10.2	5.7	4.2	3.8	7.5	--		0.12
	<b>MC35-143</b>	11.5	7.7	3.6	--	方型	--		0.12
	<b>MC35-145</b>	11.5	7.7	3.6	--	圓點	--		0.12
	<b>MC50-148</b>	16.5	9.25	5.35	--	方型	--		0.26
	<b>MSR-6R</b>	10.3	4.1	4.5	6.5	--	--		0.16
	<b>MSR-8R</b>	12.7	4	5.5	7.5	--	--		0.20
	<b>MSR48-P3</b>	12.8	4.6	3/16UNF32	9.5	P3.0	--		0.24
	<b>MSR60-P4</b>	17.2	5.1	M6*0.75	13.0	P4.0	--		0.48
	<b>MSR63-P4</b>	17.3	5.0	1/4UNF28	13.0	P4.0	--		0.50
	<b>MSR63L-P4</b>	17.3	5.0	1/4UNF28	13.0	P4.0	--		0.52
	<b>MSR79-P5</b>	21.1	7.1	5/16UNF24	17.0	P5.0	--		1.02
	<b>MSR80-P5</b>	25.15	7.1	M8*1.0	17.8	P5.0	--		1.32

內徑車刀  
BORING BARS

外徑車刀  
TOOL HOLDERS






牙刀 & 開槽刀  
THREADING & GROOVING




銑刀  
MILLING

孔加工  
BORING TOOLS COMPONENTS

配件  
SPARE PARTS

內徑車刀  
BORING BARS  
外徑車刀  
TOOLHOLDERS  
牙刀 & 開槽刀  
THREADING & GROOVING  
銑刀  
MILLING  
孔加工  
BORING TOOLS COMPONENTS  
配件  
SPARE PARTS

Clamp Shape	Item code	Dimensions,mm						備註	Weight (100pcs/kg)
		A	B	C	D	E	L		
	<b>MCW3-P25</b>	27.3	--	M5*0.8	18.7	P2.5	--	1.32	
	<b>MCW3-P40</b>	27.3	--	M5*0.8	18.7	P4	--	1.46	
	<b>CPS4V</b>	8.0	T10	11.25	7.25	M4	8.9	0.18	
	<b>CPS5F</b>	10.3	T15	12.65	7.5	M5	11.5	0.30	
	<b>CPS5F-1</b>							0.30	
	<b>CPS5V</b>	12.2	P3.0	15.6	9.5	M6	13.5	0.34	
	<b>CPS6F</b>						16.0	0.62	
	<b>CPS6V</b>						18.8	0.64	
	<b>MTK1R</b>	13.0	17.5	5	12	--	--	0.74	
	<b>MTK1L</b>							0.78	
	<b>WCW6-P4</b>	17.5	10.5	M6	23	P4.0	--	1.12	
	<b>MCD324</b>	23.75	12.8	7.5	--	P4.0		1.08	
	<b>MCD324B</b>	23.75	15.8	8.5	--	P4.0		1.40	
	<b>MCD331</b>	30.80	12.8	9.0	--	T20		1.60	
	<b>MCD425</b>	24.95	12.8	7.5	--	P4.0		1.16	
	<b>MCD430</b>	29.50	12.8	9.0	--	T20		1.56	

Shim Shape	Item code	Dimensions,mm					備註	Weight (100pcs/kg)
		lc	S	B	d1	d2		
	<b>CMS432</b>	12.5	4.8	12.5	7.3	8.0		0.88
	<b>CMS533</b>	15.5	4.8	15.5	9.8	11.0		1.32
	<b>CPS422</b>	12.4	3.2	12.4	6.9	9.0		0.62
	<b>DMS432</b>	12.5	4.8	12.5	7.3	8.1		1.18
	<b>DMS442</b>	12.5	6.4	12.5	7.3	8.1		1.50
	<b>DPS422</b>	12.5	3.2	12.5	7.0	8.7		0.78
	<b>GXE16</b>	9.5	3.2	13.1	4.0	6.3		0.50
	<b>GXE22</b>	12.7	4.0	17.1	5.1	7.3		1.06
	<b>GXE27</b>	15.9	5.5	22.5	5.7	8.8		2.26



Shim Shape	Item code	Dimensions,mm					備註	Weight (100pcs/kg)
		lc	S	B	d1	d2		
	<b>GXN16</b>	9.5	3.2	13.1	4.0	6.3		0.48
	<b>GXN22</b>	12.7	4.0	17.1	5.1	7.3		1.06
	<b>GXN27</b>	15.9	5.5	22.5	5.7	8.8		2.26
	<b>SMS432</b>	12.5	4.8	12.5	7.3	8.0		0.84
	<b>SSS445N</b>	10.6	3.0	10.6	5.4	7.0		0.42
	<b>SSS445N-1</b>	10.6	3.0	10.6	5.2	6.9		0.42
	<b>SSS490N</b>	11.0	3.0	11.0	5.3	7.1		0.48
	<b>TMS322</b>	9.1	3.2	12.9	5.8	6.3		0.46
	<b>TMS432</b>	12.5	4.8	17.9	7.3	8.1		1.24
	<b>TPS322</b>	9.3	2.7	13.2	5.0	8.0		0.42
	<b>TWS322</b>	8.9	3.2	12.4	5.2	6.3		0.44
	<b>TWS332</b>	8.9	4.8	12.4	5.2	6.3		0.64
	<b>VMS322</b>	9.2	3.2	9.2	5.8	6.7		0.74
	<b>VSS322</b>	8.4	3.2	8.4	5.4	6.7		0.54
	<b>WMS432</b>	12.2	4.8	15.0	7.3	8.1		0.84

内徑車刀  
BORING BARS

外徑車刀  
TOOL HOLDERS

牙刀 & 開槽刀  
THREADING & GROOVING

銑刀  
MILLING

孔加工  
BORING TOOLS COMPONENTS

配件  
SPARE PARTS



## ■ 塗層材種 Coated Carbide

ISO分類	山特維克 SANDVIK	三菱 MITSUBISHI	住友 SUMITOMO	東芝泰珂洛 TUNGALOY	黛杰 DIJET	日立 HITACHI	京瓷 KYOCERA
<b>P01</b>	GC4005 GC4015	UE6005	AC700G	T9005, T7005 TD905	JC110V	GM10 HC5000	CR7015 PR915
<b>P10</b>	GC4005, GC4015 GC1025, J048	UE6005, UE6010 UE6020, UC6010	AC700G AC2000	T9015, TD905 TD915, T715X T9015, T9025	JC110V, JC215V JC5030	GM10, GM20 GM8015	CR7015, PR730 PR830, PR915 PR930
<b>P20</b>	GC4025, LC25 GC4020, GC4030	UE6010, UE6020 UC6010, VP15TF VP20MF, UP20M	AC2000	TD915, TD920 T7020, T325 T9025, T9035	JC110V, JC215V JC5030, JC5015	GM8020, GM20 GM25, CY150	CA5025, CR9025 PR730, PR830 PR930
<b>P30</b>	GC4025, GC4030 GC4035, GC4040	UE6035, US735 VP15TF, VP20MF UP20M, F7030	AC3000, AC230 ACZ330, ACZ350	TD930, T725X T325, AH330 AH120, AH740 GH330 T9035, TD930	JC215V JC325V JC5030 JC5015	GM8035 CY250 HC844	CA5025 CR9025 PR660
<b>P40</b>	GC1020, GCI120 GC235, GC2040	UE6035 US735	AC3000 AC304	AH120	JC325V JC450V	GX30, CY250 HC844	
<b>M10</b>	GC2015, GC1025, J048	UE6010 US7020	EH10Z EH510Z	TD915 T715X	JC110V	GM10 GM8015	CA6015, PR730 PR830, PR915
<b>M20</b>	GC2015, GC2025 GC2030	US7020, UE6020 VP15TF, VP20MF UP20M	EH20Z EH520Z	T6020 T725X GH330	JC215V, JC1341 JC5015, JC5030	GM8020 GM20 GM25	CA6015, PR660 PR730, PR830 PR930
<b>M30</b>	GC1020, GCI120 GC2025, GC2035 GC2040	UE6035, US735 VP15TF, VP20MF UP20M, VP30RT	AC304 ACZ350	T6030 T325 AH120	JC215V, JC325V JC5015, JC5030	GF30 CY250 GX30	PR660
<b>M40</b>		US735, VP30RT	AC3000	AH140	JC325V, JC450V		
<b>K01</b>	GC3205 GC3210	UC5005 UC5015	AC300G	T5010 AH110	JC105V JC605	GM3005	CA4010 PR510
<b>K10</b>	GC3205, GC3210 GC3215	UC5015, UE6010 F5010	AC700G, AC2000 EH10Z, AC211	T5010, T5020 T1015, T1020 AH110, GH110	JC105V, JC110V JC605, JC610	GM3005, GM8015 CY100H, CY10H	CA4010 PR510 PR610
<b>K20</b>	GC3215, GC1020 GC1120, GC3020	UC6010, VP15TF F5020	AC700G AC2000	T5020	JC110V, JC215V JC610, JC5015	GM8015 GF30	CA4010 PR610
<b>K30</b>	K20W, GC3040	VP15TF, F5020	ACZ310	AH120	JC215V, JC610		

## ■ 超微粒子硬質合金材種 Cemented Carbide

ISO分類	山特維克 SANDVIK	三菱 MITSUBISHI	住友 SUMITOMO	東芝泰珂洛 TUNGALOY	黛杰 DIJET	日立 HITACHI	京瓷 KYOCERA
<b>P01</b>					SRN		
<b>P10</b>	SIP	UTi20T	ST10P	TX10S	SR10, SRT	WS10	
<b>P20</b>	SMA	UTi20T	ST20E	TX20 TX25	SRT, SR20 DX30	EX35 EX35	
<b>P30</b>	SM30		A30N ST30E	TX30 UX30	SR30, DX30 DX35	EX40 EX45	PW30
<b>P40</b>	S6		ST40E	TX40	SR30, DX35		
<b>M10</b>	H10A		U10E	TU10	UMN, UM10	WA10B	
<b>M20</b>	H13A	UTi20T	U2	TU20	DX25, UMS UM20	EX35	
<b>M30</b>	H10F	UTi20T	A30N A30	UX30	DX25, UM30 UMS	EX40 EX45	
<b>M40</b>			A40	TU40	UM40	EX45, WA40	
<b>K01</b>	HIP	HTi05T, RT9005	H1	TH03	KG03	WH05	
<b>K10</b>	HIP, H10 HM	HTi0 RT9010	EH10 EH510	G1F, TH10 H10T	KG 10, KT9 CR1	WH10	KW10
<b>K20</b>	H13A	HTi20T RT9010	G10E, EH20 EH520	G1F, G2 KS20	KT9, CR1 KG20	WH20	
<b>K30</b>			G3	G3	KG30, LF12		

BORING BARS 內徑車刀  
 TOOLHOLDERS 外徑車刀  
 THREADING & GROOVING 牙刀 & 開槽刀  
 MILLING 銑刀  
 BORING TOOLS COMPONENTS 孔加工  
 SPARE PARTS 配件



■ 金屬陶瓷材種 Coated Cermet

ISO分類	山特維克 SANDVIK	三菱 MITSUBISHI	住友 SUMITOMO	東芝泰珂洛 TUNGALOY	黛杰 DIJET	日立 HITACHI	京瓷 KYOCERA	日本特殊陶業 NTK
P01	(CT5005) CT5015	AP25N AP25N	T110A	NS520 AT520	LN10 CX50	CH350	TN30 PV30	T3N T15, Z15, Q15
P10	CT5015	NX2525 AP25N, NX2525	T1200A	NS520, AT520 AT530	LN10, CX50 NIT, CX75	CH350 CZ25	TN6020, TN60 PV60, PV7020	C30, N20 N40, C50
P20	GC1525	UP35N, NX335	T2000A T130A, T250A	NS530, AT530 GT530	CX50, NAT CX75, CX90	CH550, CZ1025 CH7030, CH570	TN6020, TN90 TN100M, PV90 PV7020	Z50, Q50
P30 P40	CT530	VP45N, NX4545	T130A, T3000Z	NS530, NS540	CX90, SUZ			
M10	CT525	AP25N NX2525	T110A	NS520, AT520 AT530, GT530	LN10	CH350	TN6020, TN60 PV60, PVT020	
M20	GC1525	AP25N NX2525	T1200A	NS530 N308	CX50, NIT CX75, NAT	CH550, CZ1025 CH7030, CH570	TN6020, TN90 TN100M, PV90 PV7020	
M30	CT530	NX4545	T1200A	NS540	CX75, CX90 SUZ		TN90, TN100M PV90	
M40							TC60M	
K01	CT515 (CT5005)	AP25N NX2525	T110A	NS520, AT520 AT530, GT530	LN10		TN30 PV30	T3N
K10		AP25N NX2525	T1200A	NS520, AT520 AT530, GT530	LN10	CH350	TN6020, TN60 PV60, PV7020	T3N, T15 Z15, Q15
K20		AP25N, NX2525			NIT			
K30								

內徑車刀  
BORING BARS

外徑車刀  
TOOLHOLDERS

牙刀 & 開槽刀  
THREADING & GROOVING

銑刀  
MILLING

■ 陶瓷材種 Cermet

ISO分類	山特維克 SANDVIK	三菱 MITSUBISHI	住友 SUMITOMO	東芝泰珂洛 TUNGALOY	黛杰 DIJET	京瓷 KYOCERA	肯納 KENNAMETAL	日本特殊陶業 NTK
P01	C0650		NB90S NB100C	LX11	CA010 CA100	SN60 A66N	KW80, MC2 AC5	HC1, HW2, HC4 ZC4, HC5
P10	C0670		WX120	WG300			KBg0, KB90X KY4000	WA1
P20								
P30								
P40								
M10	CC6080 CC670		WX120 NS260C	WG300	CA100, CA200 CS100	A66N KS500	MC3 KY21 O0	WA1
M20	CC670		NS260C, NS260	WG300		KS500, KS7000	KY2000, KY1540	
M30							KY3000	
M40								
K01	CC620 CC650		NB90S, NB90M WX120	LX11 LX21	CA100 CA200	KA30 SN60	KW80, MC2 AC5	HC1, HC2 HC5, HC6
K10	CC6090 GC1690		WX120, NS260C NS260	WG300 FX105	CA200 CS100	A66N KS500	KB90, KB90X KY3000	WA1, SX1 SX2, SP2
K20	CC6090		NS260C NS260	FX105		KS500 KS6000	KY3400 KY3500	SX8, SX2 SP2, SX1
K30								

孔加工  
BORING TOOLS COMPONENTS

配件  
SPARE PARTS

本表是各公司樣本，公開發表資料的基礎上編制的，沒有得到各公司的認可。

This data was collected according to various published catalogues, it might be updated anytime.